

high purity ~ simple package ~ proven reliability

Spectrum Micro Media Filter™

By using a very fine polishing or “micro” media layer, the Spectrum Micro Media Filter™ improves filtration efficiency while maintaining lower capital and operating costs compared to conventional dual media filters. In addition to low operating costs, the Spectrum Micro Media Filter™ offers simple operation and a history of reliability.

Why Use the Spectrum Micro Media Filter™?

- **High Purity:** The Spectrum Micro Media Filter™ provides filtered water quality of less than 0.1 NTU
- **Simple Package:** The Spectrum Micro Media Filter™'s flow per surface area is two times that of a conventional multi-media filter, resulting in higher productivity, smaller vessel requirement, and a reduction in capital and operating costs.
- **Proven Reliability:** The Spectrum Micro Media Filter™ outperforms conventional filtration and has proven to extend RO membrane life up to 5 years when used as a pre-filtration system ahead of the RO process.

How Does the Spectrum Micro Media Filter™ Work?




The Spectrum Micro Media Filter™ operates similar to a conventional air-scourable multi-media filter, but differs by using two specific particulate media layers and a patented backwash process. This combination, specific to the Spectrum Micro Media Filter™, enables the production of excellent quality filtrate, from a simple package, with proven results.



high purity ~ simple package ~ proven reliability

Features	Benefits
Robust: will filter raw feed water with a turbidity of up to 100 NTU	Produced filtrate quality of less than 0.1 NTU
Flexible: filters variable feed water sources with no breakthrough of solids	High purity filtration under various feed water TDS levels with an average particle size of less than 1 µm nominal and a filtrate silt density index of less than 5
Patented Backwash Process: performs only ONE column purge for up to 10 purges of a conventional filter	Reduction in operating costs with an increase in produced filtrate. More filtrate with less input and less cost.
Small Footprint: smaller filter vessel diameter than conventional multi-media filters	Lower capital costs, operating costs, and more efficient use of floor space

Models

<p>Spectrum Micro Media Filter™</p>	<p>Designed to filter raw feed water with turbidity up to 100 NTU</p>	
<p>Spectrum Plus Micro Media Filter™</p>	<p>Designed to filter water containing TSS up to 20 mg/L and total insoluble oil up to 20 mg/L</p>	
<p>Spectrum Lite Micro Media Filter™</p>	<p>Designed to filter raw feed water with a turbidity up to 20 NTU</p>	

Contact Eco-Tec For More Details.

SS-011-01-10.1



www.eco-tec.com



Eco-Tec Inc.
 1145 Squires Beach Rd., Pickering, Ontario
 Canada L1W 3T9
 Tel: (905) 427-0077 Fax: (905) 427-4477
 E-mail: ecotec@eco-tec.com

Prosep Technologies Limited
 Unit 6A, Zone 4, Burntwood Business Park
 Burntwood, Staffordshire, England WS7 3XD
 Tel: +44(0)1543 675731 Fax : +44(0)1543 679484
 Email: ptl@eco-tec.com

All statements, information and recommendations contained herein are, to our knowledge, true and accurate.
 However, no guarantee or warranty is given, expressed or implied.

Nor shall any statement, information or recommendation constitute a representation unless set forth in an agreement signed by Eco-Tec.